


Upper section:	255 x Ø 25 mm in brass clearly varnished - Stainless steel
Measuring stem:	G 1/2 A brass multipiece hard soldered - Further threads on request - Stainless steel 1.4571
Connection:	Form B - immersion tube with threaded socket - Form C union nut
Glass tube:	With scale of milky glass lettering and graduation black closed by melting with clamp mounted flexible
Filling:	Up to 200°C alcohol red or mercury cap. yellow backed From 250°C on mercury cap. yellow backed - Alcohol blue - Mercury cap. blue reflecting
Accuracy class:	1 - OPTIONS
Version:	S T R A I G H T



Stem Ø 12 mm	L=	45	63	80	100	120	160	200
Measuring range:	Article number							
-30+50°C 1/1°		5200	5201	5202	5203	5204	5205	5206
0-50°C 1/1°		5210	5211	5212	5213	5214	5215	5216
0-100°C 1/1°		5220	5221	5222	5223	5224	5225	5226
0-120°C 1/1°		5230	5231	5232	5233	5234	5235	5236
0-160°C 2/1°		5240	5241	5242	5243	5244	5245	5246
0-200°C 2/1°		5250	5251	5252	5253	5254	5255	5256
0-300°C 5/1°		5260	5261	5262	5263	5264	5265	5266
0-400°C 5/1°		5270	5271	5272	5273	5274	5275	5276

Stem Ø 12 mm	L=	45	63	80	100	120	160	200
Measuring range:	Article number							
-30+50°C 1/1°		5300	5301	5302	5303	5304	5305	5306
0-50°C 1/1°		5310	5311	5312	5313	5314	5315	5316
0-100°C 1/1°		5320	5321	5322	5323	5324	5325	5326
0-120°C 1/1°		5330	5331	5332	5333	5334	5335	5336
0-160°C 2/1°		5340	5341	5342	5343	5344	5345	5346
0-200°C 2/1°		5350	5351	5352	5353	5354	5355	5356
0-300°C 5/1°		5360	5361	5362	5363	5364	5365	5366
0-400°C 5/1°		5370	5371	5372	5373	5374	5375	5376

Loose glass tubes: article-number "E xxxx"
Further measuring ranges and stem lengths on request !



Type	a	b	c	d	e	f	h	SW	G	t	k
5200	25	40	16	180	255	35	-	27	1/2 A	12	-
5300	25	40	16	180	255	35	34	27	1/2 A	12	40

Masses and dimensions are conform to current company standard. Changes to improve our gauges will be made without preannouncement.