


Upper section:	Brass clearly varnished 165 x Ø 20 mm - Stainless steel AISI 304
Measuring stem:	G 1/2 A brass - Further threads on request - Stainless steel AISI 316 Ti
Connection:	Form B - immersion tube with threaded socket - Form C - union nut
Glass tube:	With scale of milky glass lettering and graduation black closed by melting with clamp, mounted flexible
Accuracy class:	1
Filling:	Alcohol red - Alcohol blue
Capillary form:	Prismatic or round
Version:	STRAIGHT
Stem Ø 10 mm	Length: [mm] 45 63 80 100 120 160 200
Measuring range:	Article number:
-30 +50°C 1/1°	5000 5001 5002 5003 5004 5005 5006
0 -50°C 1/1°	5010 5011 5012 5013 5014 5015 5016
0 -100°C 1/1°	5020 5021 5022 5023 5024 5025 5026
0 -120°C 1/1°	5030 5031 5032 5033 5034 5035 5036
0 -160°C 2/1°	5040 5041 5042 5043 5044 5045 5046
0 -200°C 2/1°	5050 5051 5052 5053 5054 5055 5056
0 -250°C 5/1°	5060 5061 5062 5063 5064 5065 5066
Version:	ANGLE 90° back entry
Stem Ø 10 mm	Length: [mm] 45 63 80 100 120 160 200
Measuring range:	Article number:
-30 +50°C 1/1°	5100 5101 5102 5103 5104 5105 5106
0 -50°C 1/1°	5110 5111 5112 5113 5114 5115 5116
0 -100°C 1/1°	5120 5121 5122 5123 5124 5125 5126
0 -120°C 1/1°	5130 5131 5132 5133 5134 5135 5136
0 -160°C 2/1°	5140 5141 5142 5143 5144 5145 5146
0 -200°C 2/1°	5150 5151 5152 5153 5154 5155 5156
0 -250°C 5/1°	5160 5161 5162 5163 5164 5165 5166
Double scale:	- °C/°F - OPTIONS
Spare parts:	Glass tubes Immersion tubes Further measuring ranges and stem lengths on request!





Type	a	b	c	d	e	f	h	SW	G	t	k
5000	20	27	16	115	165	23	-	27	½ A	10	-
5100	20	27	16	115	165	23	28	27	½ A	10	33

Dimensions and technical data are conform to current company standard.
 Changes to improve our instruments will be made without preannouncement.